


## Commercial Grade / Plated Steel / Plastic Housing



• SEE PAGE 14 FOR RECOMMENDED INSTALLATION & TUBE PREPARATION INFORMATION •

Bearing #	A Dim	B Dim	C Dim	D Dim	E Dim	F Dim	# of Lab Seals	Bore*	Bearing Load Rating
2H2	0.98	0.93	0.19	0.35	0.50	0.68	0	1/4 round	31
2P7	1.49	1.38	0.25	0.59	0.90	0.98	2	7/16 hex	120
2N7	1.61	1.50	0.25	0.59	0.90	1.08	2	7/16 hex	120
2O3	1.64	1.53	0.25	0.59	0.90	1.13	2	7/16 hex	120
2O1	1.73	1.62	0.25	0.59	0.90	1.13	2	7/16 hex	120
2U3	1.86	1.75	0.39	0.59	0.90	1.26	1	7/16 hex	120
2A8	1.87	1.68	0.25	0.59	0.90	1.13	2	7/16 hex	120
2U8	1.87	1.77	0.39	0.59	0.90	1.26	1	7/16 hex	120
2A6	1.87	1.77	0.25	0.59	0.90	1.13	2	7/16 hex	120
2U1	1.98	1.87	0.39	0.59	0.90	1.26	1	7/16 hex	120
2U5	2.07	1.87	0.39	0.59	0.90	1.26	1	7/16 hex	120
2C8	2.23	2.12	0.25	0.59	0.90	1.13	2	7/16 hex	120
2D5	2.48	2.33	0.25	0.59	0.90	1.13	2	7/16 hex	120

\* Other bore configurations available upon request - Inquire with customer service

\*\* Bearing dimensions and configurations subject to change without notification