


3.00" Dia. x .120" Wall Thickness - 5/8" Hex Shaft



Bearings:	Type: ABEC-1 Precision ABEC-1 Precision Stainless Steel	Part # 3K4* 34K4* Inquire	Style / Description: 1 / Conductive plastic - Double labyrinth seal construction 9 / ABEC-1 precision bearing in a fully machined metal housing with plastic double labyrinth seals. For heavy duty applications. 1 / Conductive plastic - Double labyrinth seal construction
Tube:	Materials: Carbon Steel Galvanized Steel Stainless Steel	Part # C79 Inquire Inquire	Description: 3.00" x .120" Wall Carbon Steel 3.00" x .120" Wall Galvanized Steel 3.00" x .120" Wall 304 Stainless Steel
	Drive Options: Cover Options: Finish Options:	Sprockets Urethane Sleeves Polished, Electropolished, Passivated, Zinc Plated	
Shaft:	Materials: Carbon Steel Stainless Steel Options:	Part # C88 Inquire Zinc Plated	Description: 5/8" Hex Carbon Steel Shaft 5/8" Hex 304 Stainless Steel Shaft
	Standard Extensions: Standard Springs: Options:	3/4" Single spring loaded with shaft depressing to bearing hub Fixed shaft, through shaft, holes, drilled and tapped, dual spring loaded	

Load Capacity (LBS.)

Frame I.F.	Bearing #		Frame I.F.	Bearing #	
	3K4*	34K4*		3K4*	34K4*
12	400	1350	33	282	793
15	400	1350	36	257	726
18	400	1350	39	236	669
21	400	1263	42	218	620
24	399	1100	45	203	578
27	350	975	48	190	541
30	312	875	51	178	509

Longer lengths are available upon request.
Capacities are for uniform loading - Reduce 50% for point loading.